Performance curves

Pump **CTX65-240**



General	data																			
Impeller type Open		Selected Ø 240 [mm]			Max. diameter 240 [mm]			Min.diameter 190 [mm]			Speed 2900 [rpm]				Stages number 1					
Operatin	g data	•			•			•			•				•					
Capacity	_	Head			Effici	ency		Power	on shaft		Maxp	oower@) rated i	mpeller	1	NPSHr		(Q/Qbep	
Density 1.000[kg/dm³]		Kinematic viscosity 1.0 [cSt]		Viscosity coeff. Cq 1.00			Viscosity coeff. Ch			Viscosity coeff. Cη 1.00					Fluid Water					
	-		-		1			1							<u> </u>					
_	Head	<u> </u>	1-1-1-		iiI				. []].	-311		11	1	ļļļ	1-1-1-		asic wa		_	
-			0														ated w		\equiv	
55.0			, 5 7 7		25.0							1 - 1								
50.0_					7		9.0									+ + +				
-			-/-						33.0											
45.0_		\rightarrow	\angle	/		/			<i></i>											
40.0	Ţ	1-1-1-1-	/	/ ~				/ ,			7									
-	Ĭ		(; ;] . : :	/		\mathcal{T}	\mathcal{A}					:						- -		
35.0_	•		/	<u> </u>				\rightarrow				4.4								
30.0	1-1-1-1-1		$\sim \downarrow$				\mathbf{X}			```	. ()				, - 1		240			
-	1				\		,,'					$\times \langle$		/ /		+				
25.0	•		-11											215						
-	1								$\checkmark \searrow$									- -		
20.0	P										1	90								
[m] 15.0																+++				
	_	- 0	10.0		15.0		20.0	25	.0	30.0		35.0)	40.)	45.0)		50.0	
[m³/h] 0.0	0	5.0	10.0																	
		5.0	10.0																	
	Power	5.0		1 1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					240	1 1		
15.00_		5.0	10.0	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		5.0	10.0											215			1			
15.00_		5.0	10.0											215			1			
15.00_	Power	5.0										90		215			1			
15.00_	Power	5.0									•	90		215			1			
15.00_	Power	5.0										90		215			1			
15.00	Power	5.0										90		215			1			
15.00 10.00 5.00 [kW] 0.00	Power	5.0									•	90		215			1			
15.00 10.00 5.00 [kW] 0.00	Power	5.0										90		215			1			
15.00 10.00 5.00 [kW] 0.00 4.0	Power	5.0									1	90		215			1			
15.00 10.00 5.00 [kW] 0.00	Power	5.0										90		215			1			
15.00 10.00 5.00 [kW] 0.00 4.0	Power	5.0									- •	900		215			1			
15.00 10.00 5.00 [kW] 0.00 4.0 3.0	Power	5.0										90		215			1			
15.00 10.00 5.00 [kW] 0.00 4.0 3.0 2.0 [m] 1.0	Power NPSHr	5.0									24	90					1			
15.00 10.00 5.00 [kW] 0.00 5.0 4.0 3.0 2.0	Power NPSHr	5.0				Pro	oject				→ → → → → → → → → → → → → → → → → → →	90		215			1			
15.00_ 10.00_ 5.00_ [kW] 0.00_ 4.0_ 3.0_ 2.0_ [m] 1.0_	Power NPSHr	5.0				Pro					→	90	Diffus	Service			1			